

# Notice of Allowability

Application No.

09/936,629

Examiner

Renata McCloud

Applicant(s)

MAXWELL ET AL.

Art Unit

2837

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/22/2004.
2. ☒ The allowed claim(s) is/are 28,31 and 32.
3. ☒ The drawings filed on 12 September 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

DAVID MARTIN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Todd Bynum on 05 November 2004.

The application has been amended as follows:

**Claim 28:** In line 6, delete "the" before "state-of-health" and insert "a" before "state-of-health".

**Claim 31:** In line 3, delete "one". Insert "three" after "comprise">

In line 6, delete "the" before "state-of-health". Insert "a" before "state-of-health".

In line 9, delete "the" before "undriven". Insert "an" before "undriven".

In line 14 (the last line), delete "assembly" and insert "module".

**Claim 32:** In line 6, delete "the" before "state-of-health" and insert "a" before "state-of-health".

In line 8, insert "a" before "DC".

In line 15 (the last line), delete "assembly". Insert "module" after "sensor".

***Allowable Subject Matter***

2. Claims 28, 31, and 32 are allowed. The following is an examiner's statement of reasons for allowance:

**Claim 28:** The prior art fails to teach or make obvious a method of acquiring seismic data comprising indicating a malfunction of noisy environment by detecting a root-mean-square amplitude response of a signal output from an accelerometer.

**Claim 31:** The prior art fails to teach or make obvious a method of acquiring seismic data comprising driving two accelerometers, monitoring an output signal of an undriven accelerometer, rotating through all the accelerometers, and detecting a malfunction of a sensor assembly by monitoring the magnitude of the undriven accelerometer.

**Claim 32:** The prior art fails to teach or make obvious a method of acquiring seismic data comprising removing the DC offset from an output signal generated by the accelerometer, transforming the resulting signal into polar coordinates, and analyzing the peak and root mean square of the polar coordinates to indicate a malfunction.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2837

***Conclusion***

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Renata McCloud whose telephone number is (571) 272-2069. The examiner can normally be reached on Mon.- Fri. from 8 am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on (571) 272-2800 ext. 4. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Renata McCloud  
Examiner  
Art Unit 2837

RDM